FLIR ResearchIR Max + HSDR 4 (printed license key)

P/N: T199014

Copyright

© 2017, FLIR Systems, Inc.

All rights reserved worldwide. Names and marks appearing herein are either registered trademarks or trademarks of FLIR Systems and/or its subsidiaries. All other trademarks, trade names or company names referenced herein are used for identification only and are the property of their respective owners.

Document identity

Publ. No.: T199014
Release:
Commit: 29114
Language: en-US
Modified: 2015-10-06
Formatted: 2017-02-26

Website

http://www.flir.com

Customer support

http://support.flir.com

Disclaimer

Specifications subject to change without further notice. Camera models and accessories subject to regional market considerations. License procedures may apply. Products described herein may be subject to US Export Regulations. Please refer to exportquestions@flir.com with any questions.



General description
FLIR ResearchIR Max + HSDR 4 contains all the features of FLIR ResearchIR Max 4, plus support for FLIR High Speed Data Recorder (HSDR) products.
Main features:
• Pre/post-recording. • Mathematical processing toolbox. • Image filtering toolbox. • Radiometric digital detail enhancement (DDE) improves dramatically the understanding of the thermal image, while maintaining radiometric measurement accuracy. • View, record and store images at high speed. • Post-processing of fast thermal events. • Generate time-temperature plots from live images or recorded sequences. • Advanced start/stop recording conditions. • Unlimited number of analysis functions (spot, line, area). • File organizer. • Zoom and pan allows a closer look. • Multiple dockable objects for plots and statistics. • Export images and results to bitmap, video, Excel, MATLAB or CSV formats • Local scale gain control on measurement - automatically adjusts the contrast in a specific part of the image.
FLIR ResearchIR Max + HSDR 4 in combination with a FLIR thermal imaging camera is the perfect solution for any R&D or scientific application. It will allow researchers in all fields to make the smallest of temperature differences visible and to thoroughly analyze the thermal process in real-time.

Download
Download your copy of FLIR ResearchIR Max + HSDR 4 here (evaluation copy only – license key required):
http://support.flir.com/rir4

Shipping information	
Packaging, type	Cardboard box
List of contents	FLIR ResearchIR Max + HSDR 4 download card, incl. license key.
Packaging, weight	0.068 kg (0.15 lb.)
Packaging, size	202 × 146 × 25 mm (8.0 × 5.7 × 1.0 in.)
EAN-13	7332558010464
UPC-12	845188011116
Country of origin	Sweden

Compatible with the following products

- 72501-0201; FLIR T1030sc 12°
- 72501-0202; FLIR T1030sc 28°
- 72501-0203; FLIR T1030sc 45°
- 72501-0401; FLIR T1050sc 12°
- 72501-0402; FLIR T1050sc 28°

Vertrieb für Österreich:

www.nbn.at

nbn Elektronik Handelsgesellschaft m.b.H.
Riesstraße 146, 8010 Graz | Tel. +43 316 40 28 05 | Fax +43 316 40 25 06

FLIR ResearchIR Max + HSDR 4 (printed license key)

P/N: T199014
© 2017, FLIR Systems, Inc.
#T199014; r. /29114; en-US

- 72501-0403; FLIR T1050sc 45°
- 55903-1015; FLIR T600 15° (incl. Wi-Fi and Ext. cal.)
- 55903-0922; FLIR T600 15° (incl. Wi-Fi)
- 55903-1016; FLIR T600 25° (incl. Wi-Fi and Ext. cal.)
- 55903-1022; FLIR T600 25° (incl. Wi-Fi)
- 55903-1007; FLIR T600 25° and 15° w/case
- 55903-1008; FLIR T600 25° and 45° w/case
- 55903-1017; FLIR T600 45° (incl. Wi-Fi and Ext. cal.)
- 55903-1522; FLIR T600 45° (incl. Wi-Fi)
- 55903-2823; FLIR T600bx 25° (incl. Wi-Fi and Ext. cal.)
- 55903-2822; FLIR T600bx 25° (incl. Wi-Fi)
- 55903-2923; FLIR T600bx 45° (incl. Wi-Fi and Ext. cal.)
- 55903-2922; FLIR T600bx 45° (incl. Wi-Fi)
- 55903-8022; FLIR T610 15° (incl. Wi-Fi)
- 55903-3922; FLIR T610 25° (incl. Wi-Fi)
- 55903-4022; FLIR T610 45° (incl. Wi-Fi)
- 55903-5023; FLIR T620 15° (incl. Wi-Fi and Ext. cal.)
- 55903-5022; FLIR T620 15° (incl. Wi-Fi)
- 55903-5125; FLIR T620 25° (incl. Wi-Fi and Ext. cal.)
- 55903-5122; FLIR T620 25° (incl. Wi-Fi)
- 55903-5123; FLIR T620 25° and 15° (incl. Wi-Fi)
- 55903-5124; FLIR T620 25° and 45° (incl. Wi-Fi)
- 55903-5223; FLIR T620 45° (incl. Wi-Fi and Ext. cal.)
- 55903-5222; FLIR T620 45° (incl. Wi-Fi)
- 55903-5623; FLIR T620bx 15° (incl. Wi-Fi and Ext. cal.)
- 55903-5622; FLIR T620bx 15° (incl. Wi-Fi)
- 55903-5723; FLIR T620bx 25° (incl. Wi-Fi and Ext. cal.)
- 55903-5722; FLIR T620bx 25° (incl. Wi-Fi)
- 55903-5823; FLIR T620bx 45° (incl. Wi-Fi and Ext. cal.)
- 55903-5822; FLIR T620bx 45° (incl. Wi-Fi)
- 55904-6222; FLIR T630 15° (incl. Wi-Fi)
- 55904-6322; FLIR T630 25° (incl. Wi-Fi)
- 55904-6422; FLIR T630 45° (incl. Wi-Fi)
- 55904-8023; FLIR T630sc 15° (incl. Wi-Fi)
- 55904-8123; FLIR T630sc 25° (incl. Wi-Fi)
- 55904-8124; FLIR T630sc 25° and 45° w/case
- 55904-8223; FLIR T630sc 45° (incl. Wi-Fi)
- 55904-6823; FLIR T640 15° (incl. Wi-Fi and Ext. cal.)
- 55904-6822; FLIR T640 15° (incl. Wi-Fi)
- 55904-6925; FLIR T640 25° (incl. Wi-Fi and Ext. cal.)
- 55904-6922; FLIR T640 25° (incl. Wi-Fi)
- 55904-6923; FLIR T640 25° and 15° (incl. Wi-Fi)
- 55904-6924; FLIR T640 25° and 45° (incl. Wi-Fi)
- 55904-7023; FLIR T640 45° (incl. Wi-Fi and Ext. cal.)
- 55904-7022; FLIR T640 45° (incl. Wi-Fi)
- 55904-7423; FLIR T640bx 15° (incl. Wi-Fi and Ext. cal.)
- 55904-7422; FLIR T640bx 15° (incl. Wi-Fi)
- 55904-7523; FLIR T640bx 25° (incl. Wi-Fi and Ext. cal.)
- 55904-7522; FLIR T640bx 25° (incl. Wi-Fi)
- 55904-7623; FLIR T640bx 45° (incl. Wi-Fi and Ext. cal.)
- 55904-7622; FLIR T640bx 45° (incl. Wi-Fi)
- 55904-7723; FLIR T650sc 15° (incl. Wi-Fi)
- 55904-8704; FLIR T650sc 25°
- 55904-7823; FLIR T650sc 25° (incl. Wi-Fi)
- 55904-7824; FLIR T650sc 25° and 15° w/case
- 55904-7825; FLIR T650sc 25° and 45° w/case
- 55904-7923; FLIR T650sc 45° (incl. Wi-Fi)
- 62103-1102; FLIR T420 (incl. Wi-Fi and 15° lens)
- 62103-1103; FLIR T420 (incl. Wi-Fi and 45° lens)

FLIR ResearchIR Max + HSDR 4 (printed license key)

P/N: T199014
© 2017, FLIR Systems, Inc.
#T199014; r. /29114; en-US

- 62103-1105; FLIR T420 (incl. Wi-Fi and Ext. cal.) (60 Hz)
- 62103-1101; FLIR T420 (incl. Wi-Fi)
- 62103-1205; FLIR T420 with SC kit (incl. Wi-Fi and 45° lens)
- 62103-1502; FLIR T420bx (incl. Wi-Fi and Ext. cal.) (60 Hz)
- 62103-1501; FLIR T420bx (incl. Wi-Fi)
- 62103-1503; FLIR T420bx 25° and 15° w/case
- 62103-1504; FLIR T420bx 25° and 45° w/case
- 62104-2203; FLIR T430sc (incl. Wi-Fi)
- 62103-1304; FLIR T440 (incl. Wi-Fi and Ext. cal.) (60 Hz)
- 62103-1302; FLIR T440 (incl. Wi-Fi and 15° lens)
- 62103-1303; FLIR T440 (incl. Wi-Fi and 45° lens)
- 62103-1301; FLIR T440 (incl. Wi-Fi)
- 62103-1702; FLIR T440bx (incl. Wi-Fi and Ext. cal.) (60 Hz)
- 62103-1701; FLIR T440bx (incl. Wi-Fi)
- 62103-1703; FLIR T440bx 25° and 15° w/case
- 62103-1704; FLIR T440bx 25° and 45° w/case
- 62104-2104; FLIR T450sc
- 62104-1903; FLIR T450sc (incl. Wi-Fi)
- 62104-1904; FLIR T450sc 25° and 45° w/case
- 48201-1201; FLIR A320 Tempscreen
- 42701-1201; FLIR A320 Tempscreen (9 Hz)
- 48001-1001; FLIR A325sc
- 55001-0301; FLIR A655sc 15°
- 55001-0302; FLIR A655sc 25°
- 55001-0303; FLIR A655sc 45°
- 55001-0304; FLIR A655sc 7°
- 55001-0305; FLIR A655sc 80°
- 59601-0101; FLIR GF304 14.5°
- 59602-0101; FLIR GF304 14.5° Fixed lens
- 59601-0102; FLIR GF304 24°
- 59602-0102; FLIR GF304 24° Fixed lens
- 44201-0101; FLIR GF306 14.5°
- 44202-0101; FLIR GF306 14.5° Fixed lens
- 44201-0102; FLIR GF306 24°
- 44202-0102; FLIR GF306 24° Fixed lens
- 44601-0101; FLIR GF309 14.5°
- 44602-0101; FLIR GF309 14.5° Fixed lens
- 44601-0102; FLIR GF309 24°
- 44602-0102; FLIR GF309 24° Fixed lens
- 44401-0101; FLIR GF320 14.5°
- 44402-0101; FLIR GF320 14.5° Fixed lens
- 44401-0102; FLIR GF320 24°
- 44402-0102; FLIR GF320 24° Fixed lens
- 57501-0102; FLIR GF335 24°
- 59801-0101; FLIR GF346 14.5°
- 59802-0101; FLIR GF346 14.5° Fixed lens
- 59801-0102; FLIR GF346 24°
- 59802-0102; FLIR GF346 24° Fixed lens
- 64502-0801; FLIR E33
- 64502-1001; FLIR E40
- 64501-0101; FLIR E40 (incl. Wi-Fi)
- 64501-0103; FLIR E40 with SC kit (incl. Wi-Fi and 45° lens)
- 64501-0114; FLIR E40 with SC kit (incl. Wi-Fi)
- 64501-0501; FLIR E40bx (incl. Wi-Fi)
- 64502-1101; FLIR E50
- 64501-0201; FLIR E50 (incl. Wi-Fi)
- 64501-0601; FLIR E50bx (incl. Wi-Fi)
- 64502-1202; FLIR E60
- 64501-0302; FLIR E60 (incl. Wi-Fi)

FLIR ResearchIR Max + HSDR 4 (printed license key)

P/N: T199014
© 2017, FLIR Systems, Inc.
#T199014; r. /29114; en-US

- 64501-0702; FLIR E60bx (incl. Wi-Fi)
- 64501-0402; FLIR E63 (incl. Wi-Fi)

Vertrieb für Österreich:

www.nbn.at

nbn Elektronik Handelsgesellschaft m.b.H.

Riesstraße 146, 8010 Graz | Tel. +43 316 40 28 05 | Fax +43 316 40 25 06